



The benchmark for our industry since 1979
Let us make a believer out of you.

½ & 1 HP Fountains 5- Step Quick Install Guide

A photograph of a floating fountain in a lake. The fountain has several jets of water spraying upwards and outwards. In the background, there is a green-roofed house on the shore and a white and red multi-deck boat on the water.

FLOATING FOUNTAINS

www.arbrux.com

Thank you for choosing Arbrux!
Our products represent great quality at a great price!
We have worked hard to become the benchmark for our industry since 1979.
We are excited to show you how easy our products are to install...
Here we go...



Thank you for Choosing Arbrux!

Step 1: Connect Fountain

Underwater connector model

- Bring power cable up through center of float.



Hardwired model

- Lower power cable through center of float.



NOTE: See intake screen quick install guide if intake screen is purchased before performing these steps.

Step 2: Orient & Uncoil

Underwater connector model

- Orient connectors, hand tighten, and uncoil cable to power source.



Hardwired model

- Uncoil cable back to power source.



NOTE: See intake screen quick install guide if intake screen is purchased before performing these steps.


Step 3: Lower in Float

- Both models lower into float as shown.





Step 4: Mooring Fountain

- Bring fountain to desired location, tie mooring ropes to fountain float, and fasten ropes to shore or anchors.



Step 5: Connect Power

1. ½ HP 120 or 240 Volt
Single Phase Timer
(120 volt model shown)
2. 1 HP 240 Volt Single Phase
Control Panel
(electrician required)
3. ½ or 1 HP Three Phase
Control Panel
(electrician required)



You're Done... Time to Enjoy the View!



Don't Forget to Show us your Fountain in Action....

Email your Images to
sales@arbrux.com
and your Fountain could
be featured on our site!

