



The benchmark for our industry since 1979
Let us make a believer out of you.

Four Light Fixture Kit 6- Step Quick Install Guide

A photograph of a fountain at night, illuminated from below. The water jets are lit up, creating a glowing effect. The background is dark, making the illuminated water stand out.

SUBMERSIBLE
LIGHTING

www.arbrux.com

Thank you for choosing Arbrux!
Our products represent great quality at a great price!
We have worked hard to become the benchmark for our industry since 1979.
We are excited to show you how easy our products are to install...
Here we go...



Step 1: Tighten Y Connector

- Hand tighten lighting Y connector to shore power cable.



Step 2: Tighten Light Connector

- Hand tighten light fixture connectors to Y connector.



Step 3: Assemble

- Assemble U shaped bracket on fixture to L shaped bracket as shown.

U bracket to L bracket must be adjusted to ensure fixture is completely submerged when installed in water.



Step 4: Install


- Install L shaped bracket from previous step on float.

Shown on 40 inch float, 32 inch float can accommodate four fixtures maximum.





Step 5: Run Power Cables

1. Install fountain or aerator as per instructions and moor float.
2. Run power cables to shore.



Step 6A: Connect- ½ HP Single Phase

1. For ½ HP Single Phase models connect shore end of light kit cable to external lighting controller shown.
2. Plug controller into GFCI protected receptacle.
3. Adjust controller to desired setting.



Step 6B: Connect- For Larger Single Phase

For larger single phase models, have your electrician connect to applicable terminals in control panel and adjust timer



You're Done... Time to Enjoy the View!



Don't Forget to Show us your Lights in Action...

Email your Images to
sales@arbrux.com
and your night images
could be featured on our
site!

